



QUAD[®]
TECHNOLOGY

équipe pro

rims
hubs
wheelsets

2008/9
original equipment
PERFORMANCE WHEEL SYSTEMS

QDH-01F / 01R

Type: QDH-01F Front - Equipe Pro
Axle: 20mm diam x 110mm
Axle Material: Al 7075
Bearings: 2 pc Sealed Cartridge Bearing
Spoke Holes: 14 / 32 or 36 hole
Finishes: WHITE paint system
Weight: 220 grms
Incl: QR system (+ 63 grms)

Type: QDH-01R Rear - Equipe Pro
Axle: 12mm diam x 135 or 150
Axle Material: Al 7075
Bearings: 5 pc Sealed Cartridge Bearing
Spoke Holes: 14 / 32 or 36 hole
Free Body: 6 pawls, 6 springs, SHIMANO CrMo 9sp
Finishes: WHITE paint system
Weight: 344 grms (135) 379 grms (150)
Incl: 12mm axle 79.6 grms (185mm L for 135)
 83 grms (196mm L for 150)
 QR system on 135 (+158 grms)



QDH-03F / 03R

Type: QDH-03F Front- Equipe Pro
Axle: 9mm diam, 100mm x 108mm QR
Axle Material: Al 7075
Bearings: 2 pc Sealed Cartridge Bearing
Spoke Holes: 14 / 28 or 32 hole
Finishes: Anodised BLACK
Weight: 148 grms
Incl: QR (+55.2 grms)

Type: QDH-03R Rear - Equipe Pro
Axle: 10mm diam x 135 x 145 mm QR
Axle Material: Al 7075
Bearings: 5 pc Sealed Cartridge Bearing
Spoke Holes: 14 / 32 hole
Free Body: 6 pawls, 6 springs, SHIMANO

Finishes: Anodised BLACK
Weight: 310 grms
Incl: QR (+61.6 grms)

QDH-05F / 05R

Type: QDH-05F Front - Equipe Pro
Axle: 9mm diam, 100mm x 108mm QR
Axle Material: Al 7075
Bearings: 2 pc Sealed Cartridge Bearing
Spoke Holes: 14 / 28, 32 or 36 hole
Finishes: Anodised BLACK
Weight: 215 grms
Incl:

Type: QDH-05R Rear - Equipe Pro
Axle: 10mm diam x 135 x 145 mm QR
Axle Material: Al 7075
Bearings: 2 pc Sealed Cartridge Bearing
Spoke Holes: 14 / 28, 32 or 36 hole
Free Body: Splined 2 pawls, SHIMANO CrMo

Finishes: Anodised BLACK
Weight: 398 grms
Incl: QR (+ 61.6 grms)



QWR-2.2

- Type: **QWR-2.2 Lightweight X/C**
- Dimensions: 26" x 1.5" ~ 1.95"
- Material: KLM-41 alloy T9
- Joint: Sleeve Jointed
- Spoke Holes: 32 or 36 hole
- Eyelets: Single
- Finishes: Anodised BLACK
- Weight: 426 grms



QWR-2.4 Rim Section




QWR-2.2 Rim Section

QWR-2.4


- Type: **QWR-2.4 XC, All Mountain**
- Dimensions: 26" x 1.75" ~ 2.125"
- Material: KLM-60 alloy T9
- Joint: Double Crimped pin joint
- Spoke Holes: 32 or 36 hole
- Eyelets: Single
- Finishes: Anodised BLACK
- Weight: 525 grms

QWR-2.7

- Type: **QWR-2.7 Freeride, DH All Mountain**
- Dimensions: 26" x 1.75" ~ 2.5"
- Material: KLM-41 alloy T9
- Joint: Sleeve jointed
- Spoke Holes: 32 or 36 hole
- Eyelets: Single
- Finishes: WHITE Powder coated
- Weight: 578 grms



QWR-3.2 Rim Section



QWR-2.7 Rim Section

QWR-3.2

- Type: **QWR-3.2 Downhill /Freeride**
- Dimensions: 26" x 1.75" ~ 2.35"
- Material: KLM-60 alloy T9
- Joint: Double Crimped pin joint
- Spoke Holes: 32 or 36 hole
- Eyelets: Single
- Finishes: WHITE Powder coated
- Weight: 667 grms

equipe pro wheelsets

Quad have combined their highest quality rims and technically advanced hubs to create the pinnacle in high performance wheelsets. Using the QUAD "Equipe Pro" range of rims & hubs and adding top quality "PSR" "SANVIK" Triple Butted spokes and hand crafting the building of these wheels, the result is a wheelset that has high strength and durability for years of first class service. Every QUAD "Equipe Pro" Wheelset is 100% Hand Built using the finest components and craftsmen.

downhill - freeride



Model No	Hub	Rim	Holes	Spokes	Nipples	Rim Tape	Pattern	Weight
QWS-01	QDH-01FW	QWR-3.2	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2, Black Oxide	Brass	SNAP-ON	3 X	1,117.0 g
QWS-02	QDH-01FW	QWR-2.7	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2, Black Oxide	Brass	SNAP-ON	3 X	1,015.0 g
QWS-03	QDH-01RW135	QWR-3.2	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2, Black Oxide	Brass	SNAP-ON	3 X	1,322.6 g
QWS-04	QDH-01RW135	QWR-2.7	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2, Black Oxide	Brass	SNAP-ON	3 X	1,220.2 g
QWS-05	QDH-01RW150	QWR-3.2	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2, Black Oxide	Brass	SNAP-ON	3 X	1,377.0 g
QWS-06	QDH-01RW150	QWR-2.7	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2, Black Oxide	Brass	SNAP-ON	3 X	1,265.6 g

wheelsets

All Mountain / XC



Model	Hub	Rim	Holes	Spokes	Nipples	Rim Tape	Pattern	Weight
QWS-07	QDH-03F	QWR-2.4	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2 Black Oxide	Brass	SNAP-ON	3 X	953.2 g
QWS-08	QDH-03R	QWR-2.4	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2 Black Oxide	Brass	SNAP-ON	3 X	1,121.6 g
QWS-09	QDH-05F	QWR-2.4	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2 Black Oxide	Brass	SNAP-ON	3 X	1,020.4 g
QWS-10	QDH-05R	QWR-2.4	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.8 x 2 Black Oxide	Brass	SNAP-ON	3 X	1,210.2 g

Lightweight XC

Model	Hub	Rim	Holes	Spokes	Nipples	Rim Tape	Pattern	Weight
QWS-11	QDH-03F	QWR-2.2	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.6 x 2 Black Oxide	Brass	SNAP-ON	3 X	828.0 g
QWS-12	QDH-03R	QWR-2.2	32	SANDVIK T302 18/10, TB PSR 2.2 x 1.6 x 2 Black Oxide	Brass	SNAP-ON	3 X	996.4 g



HEAD OFFICE

QUAD Technologies Ltd.

'Holly Howe', Tayles Hill Drive, Ewell, Surrey, KT17 1NL, United Kingdom
E-mail: Info@quadbrakes.com www.quadbrakes.com
Tel: + 44 20 8393 2441 Fax: + 44 20 8393 9962

TAIWAN OFFICE

QUAD Technologies (Taiwan) Ltd.

5, Lane 271 Sheh Pi Road, Feng Yuan, Taichung, Taiwan, ROC
E-mail: larry@quadbrakes.com www.quadbrakes.com
Tel: + 886 4 2532 2789 Fax: + 886 4 2531 0006